### BUREAU OF PUBLIC WATER SUPPLY

## CALENDAR YEAR 2011 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

STEWART WATER ASS N.
Public Water Supply Name

O490009 £ 0490022
List PWS ID #s for all Water Systems Covered by this CCR

The Federal Safe Drinking Water Act requires each *community* public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

Piease	Answer the Following Questions Regarating the Consumer Conjudence Report
	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper  On water bills Other
	Date customers were informed: 5/11/2
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
	Date Mailed/Distributed://
	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of Newspaper: Windows 7: 1155
	Date Published: 5/14 13
	CCR was posted in public places. (Attach list of locations)
	Date Posted: / /
	CCR was posted on a publicly accessible internet site at the address: www.

**CERTIFICATION** 

Department of Health, Bureau of Public Water Supply.

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

I hereby certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in the form and manner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State

#### 2011 Annual Drinking Water Quality Report Stewart Water Association PWS #s 0490009 & 0490022 June 2012

2017 JUN 27 AM 8: 36

# THIS CONSUMER CONFIDENCE REPORT WILL NOT BE MAILED TO CUSTOMERS BUT IT WILL BE PUBLISHED IN THE WINONIA TIMES NEWSPAPER.

We're pleased to present to you this year's Annual Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the effort we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the **LOWER WILCOX ACQUIFER.** 

A detailed report on how susceptible our drinking water supply is to potential sources of contamination ranks our wells as MODERATE. If you have any questions about this report or concerning your water utility, please contact Harry Young at 662-552-2597. We want our valued customers to be informed about their water utility.

If you want to learn more, please attend the water utility meetings scheduled for the second Tuesday of each month at 6:00 PM at the Stewart Fire Department.

We routinely monitor for constituents in your drinking water in accordance with Federal and State laws. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminant. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA Safe Drinking Water Hotline (800-426-4791). The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells.

As water travels over surfaces of the land or through the ground, it dissolves natural occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity; microbial contaminants, such as viruses, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contamination, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm-water runoff, and septic systems. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

The table below lists all of the drinking water contaminants that we detected during the period of January 1 to December 31, 2010. In cases where monitoring wasn't required in 2010, the table reflects the most recent results.

In this table you will find many terms and abbreviations you might not be familiar with. To help you understand these terms we've provided the following definitions:

Action level – The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) – The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available technology.

Maximum Contaminant Level Goal (MCLG) – The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow a margin of safety.

Maximum Residual Disinfectant Level (MRDL – The highest level of a disinfectant allowed in drinking water, There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health, MRDLGs do not reflect the benefit of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) – one part per million corresponds to one minute in two years or a single penny in \$10,000.00.

 $Parts\ per\ billion\ (ppb)\ or\ Micrograms\ per\ liter-\ one\ part\ per\ billion\ corresponds\ to\ one\ minute\ in\ 2,000\ years,\ or\ a\ single\ penny\ in\ \$10,000,000.00.$ 

PWS ID # 0	490009			TEST RESULT		·	·	
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure- ment	MCLG	MCL	Likely source of Contamination
Disinfectant	s and Disin	fection B	v-Produc	ets				
2456 Haloacetic Acids(HAA5)	N	2010	0.0	0	ppb		0.060	Byproduct of drinking water disinfection
2950 TTHM (Total Trihalomethanes)	N	2010	0	No Range	ppb	0	80	By-product of drinking water chlorination.
Chlorine	N	2011	.4	.4-1	ppm	0	MDRL =4	Water additive to control microbes. RAA=0.6
Inorganic C	hemicals					L	1	<u></u>
14 Copper	N	2011*	0.4	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits.
17 Lead	N	2011*	0.004	0	ppb	0.015	AL=15	Corrosion of household plumbing systems; erosion of natural deposits
1074 Antimony	N	2011	0.0005	0	ppm	0.006	0.006	Discharge from petroleum refineries; fire hydrants; ceramics; electronics; solder
1005 Arsenic	N	2011	0.0005	0	ppm	.010	.010	Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production waste
1010. Barium	N	2011	0.003289	No Range	ppm	2	2	Discharge of drilling waste; discharge from metal refineries; erosion of natural deposits.
1075 Beryllium	N	2011	0.0005	0	ppm	.004	.004	Discharge from metal refineries and coal burning factories; discharge from electrical,aeropaceand and defense industries
1015 Cadmium	N	2011	0.0005	0	ppm	0.005	0.005	Corrosion of galvanized pipes; erosion of natural deposits; discharge from metal refineries; runoff from waste batteries and paint
1020 Chromium	N	2011	0.0005	0	ppm	0.1	0.1	Discharge from steel and pulpmills; erosion of natural deposits
1024 Cyanide	N	2011	0.02208	0	ppm	0.2	0.2	Discharge from steel/metal factories; discharge from fertilizer an plastic factories
1025 Fluoride	N	2011	0.1	0	ppm	4	4	Water additive which promotes strong teeth; erosion of natural deposits; discharge from fertilizer and aluminum factories
1035 Mercury	N	2011	0.0005	0	ppm	0.002	.002	Erosion of natural deposits; discharge from refineries and factories; runoff from landfills and cropland
1045 Selenium	N	2011	0.0025	0	ppm	0.05	0.05	Discharge from petroleum refineries; erosion from natural deposits; discharge from mines
1085 Thallium	N	2011	0.0005	0	ppm	0.002	0.002	Leaching from ore-producing sites; discharge from electronic, glass and drug factories

1040 Nitrate (AS-N)	N	2011	0.08	0	ppm	10	10	Runoff from fertilizer use; leaching from septic tank sewage; erosion of natural deposits
1041 Nitrite (AS N)	N	2011	.0.02	0	ppm	1	1	Runoff from fertilizer use; leaching from septic tank sewage; erosion of natural deposits
1038 Nitrate +Nitrite (AS N)	N	2011	0.01	0	ppm	10	10	Runoff from fertilizer use; leaching from septic tank sewage; erosion of natural deposits
Organic Cher	nicale	J	L					
2278 1,2,4- Trichlorobenzene	N	2011	0.5	0	ppb	70	70	Discharge from textile finishing factories
2380 cis-1,2- Dichloroethylene	N	2011	0.5	0	ppb	70	70	Discharge from industrial and chemical factories
2955 Xylenes	N	2011	0.5	0	ppb	10000	10000	Discharge from industrial and chemical factories
2964 Dichloromethene	N	2011	0.5	0	ppb	5	5	Discharge from drug and chemical factories
2968 O- Dichloromethene	N	2011	0.5	0	ppb	600	600	Discharge from drug chemical factories
2969 P- Dichloromethene	N	2011	0.5	0	ppb	75	75	Discharge from industrial chemical factories
2976 Vinyl Chloride	N	2011	0.5	0	ppb	2	2	Leaching from PVC pipes; discharge from plastic factories.
2977 1, 1- Dichloromethene	N	2011	0.5	0	ppb	7	7	Discharge from industrial chemical factories
2979 Trans-1,2 Dichloromethene	N	2011	0.5	0	ppb	100	100	Discharge from industrial chemical factories
2980 1,2- Dichloromethene	N	2011	0,5	0	ppb	5	5	Discharge from industrial chemical factories
2981 1,1,1- Trichloroethene	N	2011	0.5	0	ppb	200	200	Discharge from industrial chemical factories
2982 Carbon Tetrachloride	N	2011	0.5	0	ppb	5	5	Discharge from chemical plants and other industrial activities.
2983 1,2- Dichloropropane	N	2011	0.5	0	ppb	5	5	Discharge from industrial chemical factories
2984 Trichloroethene	N	2011	0.5	0	ppb	5	5	Discharge from metal degreasing sites and other factories.
2985 1,1,2- Trichloroethene	N	2011	0.5	0	ppb	5	5	Discharge from industrial chemical factories
2987 Tetrachloroethene	N	2011	0.5	0	ppb	5	5	Discharge from factories and dry cleaners.
2989 Chlorobenzene	N	2011	0.5	0	ppb	100	100	Discharge from chemical plants and other industrial activities.
2990 Benzene	N	2011	0.5	0	ppb	5	5	Discharge from factories; leaching from gas storage tanks and landfills.
2991 Toluene	N	2011	0.5	0	ppb	1000	1000	Discharge from petroleum factories.
2992 Ethyl benzene	N	2011	0.5	0	ppb	700	700	Discharge from petroleum refineries.
2996 Styrene	N	2011	0.5	0	ppb	100	100	Discharge from rubber and plastic factories; leaching from landfills.
PWS ID # 049	0022	1	L	TEST RESUL	TS		1	
Contaminant	Violation Y/N	Date Collecte d	Level Detect ed	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure- mint	MCLG	MCL	Likely source of Contamination
Disinfectants :	and Disin	fection R	v-Produ	<u> </u>		•		<u> </u>
<del> </del>	N	2010	0.0	0	ppb			Byproduct of drinking water
2456 Haloacetic Acids(HAA5)		l l		<b>†</b>	1	1	1	disinfection

Chlorine	N	2011	.5	.4-1	ppm	0	MDRL =4	Water additive to control microbes. RAA=0.5
Inorganic Che	micals							<u> </u>
14 Copper	N	2010	0.0070	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits.
17 Lead	N	2010	.3	0	ppb	0.015	AL= 0.015	Corrosion of household plumbing systems; erosion of natural deposits
1074 Antimony	N	2010	0.0005	0	ppm	.006	.006	Discharge from petroleum refineries; fire hydrants; ceramics; electronics; solder
1005 Arsenic	N	2010	0.0005	0	ppm	.010	.010	Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production waste
1010. Barium	N	2010	.00317	No Range	ppm	2	2	Discharge of drilling waste; discharge from metal refineries; erosion of natural deposits.
1075 Beryllium	N	2010	0.0005	0	ppm	.004	.004	Discharge from metal refineries and coal burning factories; discharge from electrical, aeropaceand and defense industries
1015 Cadmium	N	2010	0.0005	0	ppm	.005	.005	Corrosion of galvanized pipes; erosion of natural deposits; discharge from metal refineries; runoff from waste batteries and paint
1020 Chromium	N	2010	.00173	0	ppm	.1	.1	Discharge from steel and pulp mills; erosion of natural deposits
1024 Cyanide	N	2010	0.015	0	ppm	0.2	0.2	Discharge from steel/metal factories; discharge from fertilizer an plastic factories
1024 Cyanide	N	2010	.015	0	ppm	.2	.2	Discharge from steel/metal factories; discharge from fertilizer an plastic factories
1025 Fluoride	N	2010	0,1	0	ppm	4	4	Water additive which promotes strong teeth; erosion of natural deposits; discharge from fertilizer and aluminum factories
1035 Mercury	N	2010	0.0005	0	ppm	.002	.002	Erosion of natural deposits; discharge from refineries and factories; runoff from landfills and cropland
1045 Selenium	N	2010	0.0025	0	ppm	.05	.05	Discharge from petroleum refineries; erosion from natural deposits; discharge from mines
1085 Thallium	N	2010	0.0005	0	ppm	.002	.002	Leaching from ore-producing sites; discharge from electronic, glass and drug factories
1040 Nitrate (AS-N)	N	2011	0.08	0	ppm	10	10	Runoff from fertilizer use; leaching from septic tank sewage; erosion of natural deposits
1041 Nitrite (AS N)	N	2011	0.02	0	ppm	1	1	Runoff from fertilizer use; leaching from septic tank sewage; erosion of natural deposits
1038 Nitrate+Nitrite (AS N)	N	2011	0.1	0	ppm	10	10	Runoff from fertilizer use; leaching from septic tank sewage; erosion of natural deposits

<sup>\*</sup>Most recent sample. No samples required in 2010.

As you can see by the table, our system had no violations. We are proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some contaminants have been detected, however, the EPA has determined that your water IS SAFE at these levels.

#### \*\*\*\*\* MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING\*\*\*\*\*

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007 – December 2007. Your public water supply completed sampling by the scheduled deadline, however, during an audit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. This is to notify you that as of this date, your water system has not completed the monitoring requirements. The Bureau of Public Water Supply has taken action to ensure that your water system be returned to compliance by March 31, 2013. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply, at 601.576.7518.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Laboratory offers lead testing for \$10 per sample. Please contact 601-576-7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or manmade. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottle water, may reasonably be expected to contain at least small amounts of contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorder, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline1-800-426-4791.

The Stewart Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

June 2012

RECEIVED-WATER SUPPL

PITHIS CONSUMER CONFIDENCE REPORT WILL NOT
BE MALLED TO CUSTOMERS
BUTTH WILE BE FUBLISHED
IN THE WINONA THES
SEWEAPER.
Were pleased to great to you
have year's Amusil Water Quality
leport. This dop it is designed to
year's Amusil Water Quality
leport. This dop it is designed to
year's Amusil Water Quality
leport. This dop it is designed to
year's Amusil Water Quality
leport. This dop it is designed to
year's Amusil water deliver to
year's Amusil water water
year water water water.
Year water water treatment
process and protect our water
resources. We are committed to
ensuring the quality of your
water. Our water source is from
well of awaing from the LOWER
WILCOX ACQUIFER.
A desidal eftent of your
water dopped the protect our water
you water source is from
well of awaing from the LOWER
WILCOX ACQUIFER.
A desidal eftent our water
you water source of contamifrom your water your opport and you
you water you water you water
you water you water
you water you water
you water you water
you water you water
you water you water
you water you water
you water you water
you water you water
you water
you water you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you water
you wate

nation ranks our wells as MOD-ERATE. If you have any ques-tions about this report or concern-ing your water utility, please con-tact. Harry Young at 662-552-2597. We want our valued cus-tomers to be informed about their water utility.

2,997. We want our valued customers to be informed about their
vater utility.

If you want to learn more, please
attend the water utility meetings
scheduled for the second Tuesday
of each month at 6:00 FM at the
Stewarf Fire Department.
We routinely monitor for constituents in your draking water in
accordance with Federal and
State laws. Drinking water
including bottled water, may reasonably be expected to make a
least small amounts or one or
to the second of contaminant hear not necessarily
included that water poses a health
effects can be obtained by calling
the second of contrast and the second of th

the Environmental Protection Agency's (EFA Sate Drinking Water Holling (80)-425. 4791) The sources of drinking water (80)-420. 4791 The sources of the lander framely of the lander of

gas production, mining or fanning; pesticides and herbicides,
which may come from a variety
of sources such as a garder
urban storm/water runoff, and
residential uses; organized;
with the contamination, organized;
with the contamination of certain contamination of the contaminati

2011 Annual Drinking Water Quality Report Stewart Water Association PWS #s 0490009 & 0490022 we detected during the period of January I to December 31, 2010. In cases where monitoring wisant required in 2010, the table reflects the most recent results. In this table you will find may be might not be recently and the results of the requirements of the requirements which a constantiant of a containmant which, if onceded, triggers treatment of the requirements which as water system must follow. Maximum Contaminant Level (MCL) — The Maximum Contaminant Level (MCL) are set as the product of a containment of the requirements which as water system that follows a set of the requirements which as water system must follow. Maximum Contaminant Level (MCL) are set as the state of the requirement of the requirement of the requirements which as water works and the results of the requirements which as water water and the results of the requirements which as water water and the results of the requirements which as water water and the results of the requirements which are water water

(MCLG) is the level of a contaminant in drinking owner below which there is no known or expected risk the least the CLGs allow a margin of safety. Maximum again of safety. Maximum again of safety. Maximum again of safety. Maximum again of safety of a distinctional allowed in drinking the contaminants. There is convincing executed in the contaminants. Maximum Residual Disinfectant Level (God (IMBDLG) - The level of a drinking water disinfectants below which there is no known or expected risk of health with the control meteorial safety which there is no known or expected risk of health of the use of disinfectants to control meteorial contaminants.

Parts per billion (tph) or Shire

WS 10 # 045	manh .	TO STATE OF	CONTRACTOR	TEST RESULT	1 14	Section 1	Mr. L	Likely wester of
	***	College	Lant December	Empe of Detects or 6 of Sumples Summers SECTATE	10,000			Action
dinfectants	and Disir	fection B	Produc	ts	( mò	-	026	Conducted drawing with
Shiperen .	73	1 5040	20	Acres to the	140	1000	1000	Syprobal of moking water
AHELE)	1		-	No Parket	I BOA	0		distriction
TO CTANE	X	100	100	100000000000000000000000000000000000000	100	100	100	Own seldent to control
del delegations		1	1	41	100	9	Met	escritor \$4.000
Seint	N. S.	2011	1000					
	1		1	STREET, STREET, STREET,	7.78 A.M.	N:52.53	131-11	
Inorganic Ci	emicals.	3 55815	101	10	Seq.	115	1""	
i Copper	15000	1000	daniele.	VKC Section	10000	1 3		central deposit
		- 507	2004		PO CHAIL	ean3	14:13	
Loss			10000		113,853,6	180	100	second deposits
		1		- 6	1007 ·	1000	8000	Charles for he death
THE PARTIES	. 8	101	0 0003		120	81000	1	planting retired months search deposits (Implants then personal actions of the feature common decisions with
	1900	1300	1		160	210	010	Lincoln of Selection of
GOS ACHES	18	2011	6,000	1"	15.32			
	100				10000	100		Distance of the party.
	41.00	1	4.6500	No Warpt	(ppm	1.	130	
1910 Parers	N	2011	126000		1642	1	15.	
			1.0	distance.	1500	1.16	117.62	Disharp hee sess
		- 155.0	6005		SECTION	004	.064	
(62) Degane	N	2011	1	THE SECTION	6 6 5	1	100	
	1		1		100		100	playwood sorrow took and Advant palestyres
	1 6 2	100	1 6.0		7 Jan	7.00	200	
itis Calcon		1560	6,000	1.0	ren.		150	Selection of which con-
tell Copper	- 1505 V	30.44	4 000				40.5	
	1333		1	1. 1984.85				Subgray and paint
	1	1	11				-101	Charleste Beet der beid
	1	5911	1000	9	777		1.	
10 20 Christian	1° .		W 1000		100	10.00	07	Distance from And social
1000	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	Sett			A.	25.	1°7	
Spart Cheese	1. Pro-	1""	1		1.10	تات	-1-	Sant Address which propers
1905883	1	2011	101		Her.	1.	35 2	
(02) Plumbe	18	1,3011			10.0	3.4	× 18	depoint distança from Settlers and Designation
100000000	10.2			<b>电影物用的</b>	-150	1	: 13	
100000					750	100	2 0	Treeling of papers deposits.
1033 Morrey		2911	6.000	1 1	1777	: I	. 13	Section of the land to
	1.1	100	100	CM 10.896000	1.00	100		
1997/07/09	PH 1907	.00			-		8 18	The hery from personals or Senter modes from safe
CAT Chapes	18	7011	210	9 1	15	100	. I	
-	8. July 100	3.1	30 (6)	and the second	100	10	en 10	
Hell Thebres		201	c/a	85 0	147	5 N		clary Auchorge from
LEED SPECIAL	100		1.10					Contract

		1260	13	141	He	ð	HEAT.	ware additive to come a advantes 2.44.0.5
(gla	Singvis	alternii.	Sec. 517	1000000	1000000		1000	Response to the second
norganic Chem	icals	43 1347	1000	50 No. 1 M		US	130-13	Company of homorrals
Copper	ĸ	2015	100.00	0		3.3	3 (33)	physical policies, contract of physical depolicies Company of Propagation
71,000	10	2010	3	۰	7	0,013	2315	physical systems are due of mount deposits
	×	2010	m 2003		No.	164	NX.	Declarge from population
514 Automoty			1		100	010	פֿנים	Errore of sales deposits
col treete	×	20)0	2000)	ľ	- 1			from place and commence
Data Carrier		7000	9001	No Range	100	1	1	Duckeys of delical water desired from most referred waters of makes
			1,			004		
1917 Day Cree	*	7217	6 hoo	•		"	1	Declary from word infrarior and real formers factors, declarys from desired, serviced and defeated serviced and
In Cuban	×-	7815	800	· •	-	es.	-	Correct of percent percent of per
					-	ļ.,	4,	Declary from the sed pay and process of natural
×20 Sereses		7110	3			92	- 92	Symple Paradorna Dress Martin William
N31 Cimids	N	2116	9.01	•	7			Schmicz, Gudlarje Sten Sprätter ad pitede Substret Dachtrije Sten 2007 metal
1914 Cywlein	N	2010	ANS	•	- 1	٦,		Salaries Sultar ja 1000
1925 Discribe	*	pote	- "	•	-	ľ	T	Strong states a spirit process driving state, arrained of seasons deposits, develope from Sections and States are Sections
(03) 1673077	4	2017		0	78**	<b>-</b>	*	Substitute Principle Street Services
104) Scheen	N.	900	- 00	555 B	- 1	18	7	influence produce from more
193 Nation	18	\$01	- 14	60 S	- 1	7	*	
2000 Nileoler (ASSAN)	4.	- 1	, 1	• •	- 1	- 72	T.	based from landers on leading from apic took sering, province of patents
934) New (ASN)	-	201		es   0	- 100	╁		Empli bres bestern un sachen Bres septi Link grange, grande of sakeni
						٠.	$\dashv$	Appeals Sumit has broken by
1018 Nines Name 065 NO	R				"			Section from pept such private product of salarid descrip

As you can see by the table, our system had no violations. We are proud that your drinking water meets or exceeds all Federal and State requirements. We have learned

Villa and exercise No sort

through our monitoring and testing that some contaminants have been detected, however, the EPA has determined that your water IS SAFE at these levels.

MSDH CONCERNING
RADIOLOGICAL SAMPLING\*\*\*\*
In accordance with the
Radiomuclides Rule, all com-

munity public water supplies were required to sample quarterly for radionucilides beginning January 2007 - December 2007. Your public water supply completed sampling by the scheduled deadline, however, during an audit of the Mississippi State Department of Health 'Radiological Heal

If present, elevated levels of lead on cause serious health problems, respecially for pregnant women and young children. Lead in dinking water is primarily from materials and components associated with service lines and home plumbling. Our Water Association in responsible for providing the quality drinking water, but cannot controlled in plumbing against the proposition of the providing the provided in plumbing the provided in providing the provided in plumbing the provided in provided in provided in plumbing the provided in the pr

reasonably be expected to comnina at least, small amounts of
contamination of the presence of
contamination of
presence of the presence of
presence of
presence of the

No See CON	•	Ten-	P**	1			ľ	Tľ	•	Real-	Firm Booker and on two right and or trooper frames
(A) See (O.S)	*	591	682	1		-			•		Fine facility vet. as then upon the contract of contract
1015 745 A 105 A 1	N.	(\$6)	022	1		BT	۳		16		Specification on the about page.
Organic Cher	nbrakt	1	ل	-1		1 100	-18		20	15	And Post Marie
	H. ale	201	101	ाः	Constant	480 430		200	84	-15	lary to a Name of
Trubusilentme	N	201	105	0	3.50	Lap	-10	1	-	100	the second sec
		198	85	- 0		194	118	120	-		ence between carry two frequent and factorist charge two and chance
2911 Tobass	1000	32 23 20 20		-		165	13	3.50	31,02	115	Constitution of the consti
544	5	2011	10	1	1.	1000		œ -	265	18	Swigs from the greatest
Distribution	w	180	650	· e.		100			18	- 10	hapt two adviced
Districted Co.	-	200	135	13	250000000	100	12.0	•			most betterm
1957	192200	B 800	-105	-		774	300	12.50	1		Jung transport
TOTAL STREET	17	29(1	ା°'	3 N			35				
				- 8		100		0.77	1	66	enterp from indicated makes to be the principle from indicated
FFF L. C.	1500	Fills	S 100			-			100	16	or here from missand
Dr. St. Trees 1.2	14	731	165	10	me.		ا ن		1.		
	- I	1611	63	-10	18937488	190	9.01		J.		enters from industrial
PAGE 13	246.00	20	- 65	- 0	1700 251790	199	30	390	188		
	1000					- 10	-	3	tr		to hard their chartest
Trefficentiane 2002 Carlos	1	2013	100	88 <b>1</b> 2			100		10		
Tera Merido					1000	- 50		7	17		Section of the section of
27011.3-	19	2011	197		A LATE AND A		اشت		1.		
Distriguished		- 120	- 13		17 H 18 18 18	7			18		d berein ever ma sacc
Trail-proper	-17		1.		(Filesky)		9595			-	Charles to Section in the second
300 000 000	1	आर	- 63	1	100.55				نا		Separat Dalvites
Freehondate	20 1925			4					١,	1	أحد فيدونها ومنط والمهارس)
mer		118			1	199	285	300	3.83		An closers
Teralimeters			سإدد	-	10000		251	100	i b		Carcings from chemical plants and other reduced
	· lv	271)	01	98	* 1 S	200					
CHAMPLINE		862 88		146	(VIII.)			1-	-	Cod I	Checkup from fact every to
2000 Deserve	- IN	5001	100	9.5	18 18 70 5			1	- 1		
1000000	100			100		79	-	100	T	100	Garlage long petrolism Bellerer
2017 chera	H	206		100		0.103		1 70	-+	20.	Charles from petrologe
	- R	561		708B	**************************************		8.42	1200	100		nderica
2013 Edul house	300	- 30					124.0	100	1	120	please become keeling to
THE SHOP			253			444	158	1_	_ 1		-
10 1 15 15		0.010	حلست	-	TEST RE	SULTS	Serie.	1		*****	
PWS ID	84900	22	-	Lord	Europe of Date 2 of Lang Europe		14	W.	10		Darly away of
Carrie	180	161	Comete	Select	24744		wist.	1			100000
		300	410.00	tilwy,	UC1/M	1	112000			10000	10000000000000000000000000000000000000
<b></b>		d Disinfer	tion By	Produ	ets	Constitution (Constitution Constitution Constitution Constitution Constitution Constitution Constitution Const		1273	-	200	Depresent of States of Sta
Distances	220 20	1000000	20.00	90	10			100		10	Severale district or
	2.65	1000	1000	0	Xa Tarp	6330		13	OF S	8.53	distant
Ties fish	28, 734	S. C. S. S.	1655	12.50	10 183 202		-				